

**SECURING THE NATION'S PPE****SAFETY DATA SHEET****ESPRO Washing Up Liquid**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name	ESPRO Washing Up Liquid
Product number	800-152-1109
Container size	5 litres

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. Disinfectant.
Uses advised against	Use only for intended applications. Not for Oral Consumption.

1.3. Details of the supplier of the safety data sheet

Supplier	Eurosafef Limited 8a Hauley Road, Dartmouth, TQ6 9AA +44 (0)1803834266 sales@eurosafef.ltd.uk
Contact person	For content of safety data sheet:, sales@eurosafef.ltd.uk

1.4. Emergency telephone number

Emergency telephone	+44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human health and/or the environment)
---------------------	---

National emergency telephone number	UK: In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24
-------------------------------------	--

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (SI 2019 No. 720)**

Physical hazards	Not Classified
Health hazards	Eye Irrit. 2 - H319
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements**Hazard pictograms**

Signal word	Warning
Hazard statements	H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.

ESPRO Washing Up Liquid

Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P264 Wash contaminated skin thoroughly after handling.</p> <p>P280 Wear protective gloves.</p> <p>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P337+P313 If eye irritation persists: Get medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Contains	C12-14 ALKYL ETHER SULFATES
Biocide Labelling	This product contains substances with biocidal properties., Contains active substance: 0.05 g/100g, Alkyl (C12-16) dimethylbenzyl ammonium chloride (ADBAC/BKC (C12-16)), Read attached instructions before use.
Detergent labelling	< 5% anionic surfactants, < 5% non-ionic surfactants, Contains 2-Bromo-2-nitropropane-1, 3-diol
Supplementary precautionary statements	<p>P101 If medical advice is needed, have product container or label at hand.</p> <p>P103 Read label before use.</p> <p>P391 Collect spillage.</p>

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >0.1% published by the European Chemicals Agency (ECHA) under article 57 of the REACH regulation (as amended). This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14 ALKYL ETHER SULFATES		1-5%
CAS number: 68891-38-3		EC number: 500-234-8
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412		
AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES		<1%
CAS number: 308062-28-4		EC number: 931-292-6
M factor (Acute) = 1		
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411		Classification (67/548/EEC or 1999/45/EC) Xn;R22. Xi;R38,R41. N;R50.

ESPRO Washing Up Liquid

PHOSPHORIC ACID		<1%
CAS number: 7664-38-2		EC number: 231-633-2
Classification	Classification (67/548/EEC or 1999/45/EC)	
Met. Corr. 1 - H290	C;R34	
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
BRONOPOL (INN)		<1%
CAS number: 52-51-7		EC number: 200-143-0
M factor (Acute) = 10		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302	Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Treat symptomatically.
Inhalation	Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention if any discomfort continues.
Skin contact	Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	The product is considered to be a low hazard under normal conditions of use. Treat symptomatically.
Inhalation	Considered to be a low inhalation hazard at normal workplace temperatures. Abusive inhalation may cause irritation, remove to fresh air.
Ingestion	Unlikely exposure route without abuse. Symptoms will include, Sickness, possible Irritation of GI Tract. A soapy taste may be reported.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	May cause temporary eye irritation.

ESPRO Washing Up Liquid

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid contact with skin and eyes. Do not mix with other chemicals or detergents.

Advice on general occupational hygiene No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash at the end of each work shift and before eating, smoking and using the toilet.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

ESPRO Washing Up Liquid

8.1. Control parameters

Occupational exposure limits

PHOSPHORIC ACID

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

C12-14 ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL

Workers - Inhalation; Long term systemic effects: 175 mg/m³
 Workers - Dermal; Long term systemic effects: 2750 mg/kg/day
 Consumer - Inhalation; Long term systemic effects: 52 mg/m³
 Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day
 Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC

- Fresh water; 0.24 mg/l
 - marine water; 0.024 mg/l
 - Intermittent release; 0.071 mg/l
 - Sediment, Fresh water; 0.917 mg/kg
 - Sediment, marine water; 0.092 mg/kg
 - Soil; 7.5 mg/kg
 - STP; 10,000 mg/l

COCONUT DIETHANOLAMIDE (CAS: 68155-07-7)

DNEL

Workers - Inhalation; Long term systemic effects: 73.4 mg/m³
 Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day
 Workers - Dermal; Long term local effects: 0.0936 mg/cm²
 General population - Inhalation; Long term systemic effects: 21.73 mg/m³
 General population - Dermal; Long term systemic effects: 2.5 mg/kg/day
 General population - Dermal; Long term local effects: 0.0562 mg/cm²
 General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC

- Fresh water; 0.007 mg/l
 - marine water; 0.001 mg/l
 - STP; 830 mg/l
 - Sediment (Freshwater); 0.195 mg/kg
 - Sediment (Marinewater); 0.019 mg/kg
 - Soil; 0.035

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES (CAS: 308062-28-4)

DNEL

Workers - Inhalation; Long term systemic effects: 15.5 mg/m³
 Workers - Dermal; Long term systemic effects: 11 mg/kg/day
 General population - Inhalation; Long term systemic effects: 3.8 mg/m³
 General population - Dermal; Long term systemic effects: 5.5 mg/kg/day
 General population - Oral; Long term systemic effects: 0.44 mg/kg/day

PNEC

- Fresh water; 0.034 mg/l
 - marine water; 0.003 mg/l
 - STP; 24 mg/l
 - Sediment (Freshwater); 5.24 mg/kg
 - Sediment (Marinewater); 0.524 mg/kg
 - Soil; 1.02 mg/kg

ESPRO Washing Up Liquid

DIETHANOLAMINE (CAS: 111-42-2)

DNEL

Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Dermal; Long term systemic effects: 0.13 mg/cm²
 General population - Inhalation; Long term local effects: 0.25 mg/m³
 General population - Dermal; Long term systemic effects: 0.07 mg/kg/day
 General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC

- Fresh water; 0.02 mg/l
 - marine water; 0.002 mg/l
 - STP; 100 mg/l
 - Sediment (Freshwater); 0.092 mg/kg
 - Sediment (Marinewater); 0.009 mg/kg
 - Soil; 0.007 mg/kg

PHOSPHORIC ACID (CAS: 7664-38-2)

DNEL

Workers - Inhalation; Long term systemic effects: 10.7 mg/m³
 Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Inhalation; Short term local effects: 2 mg/m³
 General population - Inhalation; Long term systemic effects: 4.57 mg/m³
 General population - Inhalation; Long term local effects: 0.36 mg/m³
 General population - Oral; Long term systemic effects: 0.1 mg/kg/day

BRONOPOL (INN) (CAS: 52-51-7)

DNEL

Workers - Inhalation; Long term systemic effects: 4.1 mg/m³
 Workers - Inhalation; Short term systemic effects: 12.3 mg/m³
 Workers - Inhalation; Long term local effects: 4.2 mg/m³
 Workers - Inhalation; Short term local effects: 4.2 mg/m³
 Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
 Workers - Dermal; Short term systemic effects: 7 mg/kg/day
 Workers - Dermal; Long term local effects: 0.013 mg/cm²
 Workers - Dermal; Short term local effects: 0.013 mg/cm²
 General population - Inhalation; Long term systemic effects: 1.2 mg/m³
 General population - Inhalation; Short term systemic effects: 3.7 mg/m³
 General population - Inhalation; Long term local effects: 1.3 mg/m³
 General population - Inhalation; Short term local effects: 1.3 mg/m³
 General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
 General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
 General population - Dermal; Long term local effects: 0.008 mg/cm²
 General population - Dermal; Short term local effects: 0.008 mg/cm²
 General population - Oral; Long term systemic effects: 0.35 mg/kg/day
 General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC

- Fresh water; 0.01 mg/l
 - marine water; 0.008 mg/l
 - Intermittent release; 0.0025 mg/l
 - STP; 0.43 mg/l
 - Sediment (Freshwater); 0.041 mg/kg
 - Sediment (Marinewater); 0.00328 mg/kg
 - Soil; 0.5 mg/kg

8.2. Exposure controls

ESPRO Washing Up Liquid

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Personal protection

This datasheet is not a Risk/COSHH assessment. Data given here should be used as part of a risk assessment. Data supplied here relates to the product as supplied, not in use solutions, these will have a lower classification. This product is not classified for skin irritation or corrosion, but the use of gloves for extended use is recommended.

Eye/face protection

No specific eye protection required during normal use.

Hand protection

For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Other skin and body protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate skin cream to prevent drying of skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Green.
Odour	Perfumed.
Odour threshold	Not applicable.
pH	pH (concentrated solution): 2.0 - 3.0
Melting point	Not determined.
Initial boiling point and range	Not determined but expected to be >90 Degrees C.
Flash point	This product is not flammable.
Evaporation rate	Not determined.
Evaporation factor	Not determined.
Flammability (solid, gas)	Not flammable. This product does not sustain combustion.
Upper/lower flammability or explosive limits	No information available.
Other flammability	Not applicable.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	1.000-1.010

ESPRO Washing Up Liquid

Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not technically possible for a mixture.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not determined.
Viscosity	250 - 1000 @ 20°C
Explosive properties	There are no chemical groups present in the product that are associated with explosive properties.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not relevant.
Refractive index	approx 3.0

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable.
---	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
---------------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Information given is based on data of the components and of similar products.
------------------------------	---

Acute toxicity - oral

Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
-------------------------------------	--

Acute toxicity - dermal

ESPRO Washing Up Liquid

Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	Not classified. Based on available data the classification criteria are not met.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Based on available data the classification criteria are not met.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Not sensitising. Based on available data the classification criteria are not met.
<u>Skin sensitisation</u>	
Skin sensitisation	Not classified. Based on available data the classification criteria are not met.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	Does not contain any substances known to be mutagenic.
<u>Carcinogenicity</u>	
Carcinogenicity	Does not contain any substances known to be carcinogenic.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	Does not contain any substances known to be toxic to reproduction.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
General information	This product has low toxicity.
Inhalation	No specific health hazards known.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Repeated exposure may cause skin dryness or cracking.
Eye contact	May cause temporary eye irritation.
11.2 Information on other hazards	
11.2.1. Endocrine disrupting properties	This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).
11.2.2 Other information	None known
<u>Toxicological information on ingredients.</u>	

C12-14 ALKYL ETHER SULFATES

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 4,100.0

ESPRO Washing Up Liquid

Species	Rat
ATE oral (mg/kg)	4,100.0

Acute toxicity - dermal

Acute toxicity dermal (LD ₅₀ mg/kg)	2,001.0
--	---------

Species	Rat
ATE dermal (mg/kg)	2,001.0

COCONUT DIETHANOLAMIDE

Acute toxicity - oral

Acute toxicity oral (LD ₅₀ mg/kg)	2,001.0
--	---------

Species	Rat
ATE oral (mg/kg)	2,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD ₅₀ mg/kg)	2,001.0
--	---------

Species	Rabbit
ATE dermal (mg/kg)	2,001.0

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Acute toxicity - oral

Acute toxicity oral (LD ₅₀ mg/kg)	1,064.0
--	---------

Species	Rat
ATE oral (mg/kg)	1,064.0

Acute toxicity - dermal

Acute toxicity dermal (LD ₅₀ mg/kg)	2,000.1
--	---------

Species	Rat
ATE dermal (mg/kg)	2,000.1

Skin corrosion/irritation

Skin corrosion/irritation	Irritating to skin.
---------------------------	---------------------

Serious eye damage/irritation

Serious eye damage/irritation	Causes serious eye irritation.
-------------------------------	--------------------------------

Skin sensitisation

Skin sensitisation	Not sensitising.
--------------------	------------------

Carcinogenicity

ESPRO Washing Up Liquid

Carcinogenicity Based on available data the classification criteria are not met.

PHOSPHORIC ACID

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 300.1

Species Rat

Notes (oral LD₅₀) REACH dossier information. Harmful if swallowed.

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.1

Species Rabbit

Notes (dermal LD₅₀) REACH dossier information.

ATE dermal (mg/kg) 2,000.1

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin. REACH dossier information.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation. REACH dossier information.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation No information available.

Germ cell mutagenicity

Genotoxicity - in vitro Negative. This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo No information available.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - fertility Fertility - NOAEL >500 mg/l, Oral, Rat Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

SECTION 12: Ecological information

ESPRO Washing Up Liquid

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

Ecological information on ingredients.

PHOSPHORIC ACID

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

Toxicity Not considered toxic to fish.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 7.1 mg/l, Brachydanio rerio (Zebra Fish)
REACH dossier information.

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 7.2 mg/l, Daphnia magna
REACH dossier information.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 28 days: 0.14 mg/l, Oncorhynchus mykiss (Rainbow trout)
REACH dossier information.

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 0.27 mg/l, Daphnia magna
REACH dossier information.

COCONUT DIETHANOLAMIDE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 2.4 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 3.2 mg/l, Daphnia magna

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Toxicity Very toxic to aquatic organisms. Supplier's information.

Acute aquatic toxicity

LE(C)₅₀ 0.1 < L(E)C₅₀ ≤ 1

M factor (Acute) 1

Acute toxicity - fish LC₅₀, 96 hours: 2.67 mg/l, Freshwater fish
Supplier's information.

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: 3.1 mg/l, Daphnia magna

Acute toxicity - aquatic plants Supplier's information.
EC₅₀, 72 hours: 0.146 mg/l, Freshwater algae

Chronic aquatic toxicity

ESPRO Washing Up Liquid

Chronic toxicity - fish early life stage Supplier's information.
NOEC, 302 days: 0.42 mg/l, Freshwater fish

Chronic toxicity - aquatic invertebrates Supplier's information.
NOEC, 21 days: 0.7 mg/l, Daphnia magna

PHOSPHORIC ACID

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 3-3.25 pH , Lepomis macrochirus (Bluegill)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 100 mg/l, Daphnia magna
NOEC, : 56 mg/l, Daphnia magna

Chronic aquatic toxicity

Short term toxicity - embryo and sac fry stages NOEC, 72 hours: 100 mg/l,

Chronic toxicity - aquatic invertebrates EC₅₀, : 100 mg/l, Freshwater invertebrates
REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Biodegradation Expected to be readily biodegradable.
Water - Degradation 100%: 28 days
REACH dossier information.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Biodegradation The substance is readily biodegradable.

PHOSPHORIC ACID

Biodegradation No information available.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not technically possible for a mixture.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Bioaccumulative potential The product is not bioaccumulating.

Partition coefficient log Pow: ~ 0.3 REACH dossier information.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Bioaccumulative potential No information available.

PHOSPHORIC ACID

ESPRO Washing Up Liquid

Bioaccumulative potential No information available.

Partition coefficient log Pow: -2

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Mobility The product is soluble in water.

Adsorption/desorption coefficient - Log Koc: 0.34 @ °F

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Mobility The product is soluble in water.

PHOSPHORIC ACID

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product is not classified as, nor contains substances classed as having endocrine disrupting characteristics at levels >0.1% by weight (according to Regulation (EU) 2018/605).

Ecological information on ingredients.

C12-14 ALKYL ETHER SULFATES

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

PHOSPHORIC ACID

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects None known.

Ecological information on ingredients.

AMINES, C12-14 -ALKYLDIMETHYL, N-OXIDES

Other adverse effects Not determined.

ESPRO Washing Up Liquid

PHOSPHORIC ACID

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste packaging should be collected for reuse or recycling. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Normal use solutions are expected to be flushed to sewers.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

ESPRO Washing Up Liquid

National regulations

GB (UK) CLP and REACH Regulations.
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019 (as amended).
The Detergents Regulations 2010 (SI 2010 No. 740) (as amended). The Detergents (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 612) (as amended). The Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (SI 2019 No. 671) (as amended).
The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 (SI 2020 No. 1577) (as amended).

EU legislation

European Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products (BPR) as amended.
European Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (as amended)
Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) 1907/2006.
European Regulation (EC) No 1907/2006 - Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).
European Regulation (EC) No 648/2004 on detergents (as amended).

Guidance

Workplace Exposure Limits EH40.
COSHH Essentials.
ECHA Guidance on the Application of the CLP Criteria.
ECHA Guidance on the compilation of safety data sheets.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.

Revision comments

Review of SDS with no change of classification. NOTE: Lines within the margin indicate significant changes from the previous revision. Note: Finished product SDS take their revision history from the parent bulk liquid SDS. The revision data will show that of the parent liquid.

Revision date

15/11/2024

Revision

1

SDS number

10896

Risk phrases in full

Not classified.

ESPRO Washing Up Liquid

Hazard statements in full

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

----- END OF SDS -----