



**LLOYD & JONES**  
PROCUREMENT AND SUPPLY

# MEASURING CATALOGUE

**2022 Version**



**BLUERANGE®**

## INDEX

B	
Beam Trammel .....	12
C	
Caliper:	
Digital Caliper .....	3
Precision Caliper - External .....	11
Precision Caliper - Internal .....	11
Spring Caliper - External .....	11
Spring Caliper - Internal .....	11
Vernier Caliper .....	3
Cast Iron Plate:	
Cast Iron Angle Plate (Grade A) .....	14
Cast Iron Box Angle Plate (Grade A) .....	14
Cast Iron Surface Plate (Grade 1) .....	14
Centre Finder Set .....	9
Combination Set 4 Piece .....	9
D	
Digital Angle Rule .....	9
Divider:	
Precision Divider .....	12
Spring Divider .....	12
E	
Edge Finder:	
Combination Edge & Centre Finder .....	10
Edge Finder .....	10
Electronic Edge Finder .....	10
Rotary Edge Finder .....	10
G	
Gauge:	
Dial Bore Gauge Set .....	6
Electronic Depth Gauge .....	6
Electronic Height Gauge .....	4
Marking Gauge .....	12
Steel Gauge Block Set .....	6
Vernier Height Gauge .....	4
Granite Surface Plate (Grade 1) .....	14
Granite Surface Table (Grade 1) .....	14

H	
Hand Held Refractometer .....	8
I	
Indicator:	
Co Ax Centring Indicator .....	9
Dial Indicator - Large Face .....	8
Dial Indicator - Small Face .....	8
Dial Test Indicator .....	8
Dial Test Indicator - Vertical .....	7
Digital Indicator .....	7
M	
Magnetic Base:	
Fine Adjustment .....	7, 8
Flexible Stem .....	7
Standard .....	7
Universal .....	7
Magnifier:	
Folding Lens Magnifier .....	13
Hand Magnifying Glass .....	13
Illuminated Head Band Magnifier .....	13
Micrometer:	
Depth Micrometer .....	6
External Micrometer .....	4
Multi Anvil Micrometer .....	5
Outside Electronic Micrometer .....	5
Point Micrometer .....	5
Tube Micrometer .....	5
V Anvil Micrometer .....	5
P	
Parallel Set .....	10
Protractor:	
Electronic Protractor .....	6
Universal Bevel Protractor Set .....	9
T	
Telescopic Inspection Mirror .....	13
Telescopic Magnetic Pick Up .....	13
Toolmakers Blocks .....	10



## DIGITAL CALIPER



BLUERANGE™

- Large 11mm LCD display
- Manufactured to DIN 862
- Imperial and metric display
- Zero any position and hold function
- Resolution 0.01mm/0.0005ins
- Repeatability 0.01mm

Part No.	Size
BR5010001	0-150mm
BR5010002	0-200mm
BR5010003	0-300mm

## DIGITAL CALIPER IP54



BLUERANGE™

- IP54 Dust and moisture resistance
- Large 1mm LCD Imperial and metric display
- Zero any position
- Resolution 0.01mm/0.0005ins
- Repeatability 0.01mm
- Manufactured to DIN 862

Part No.	Size
BR5010501	0-150mm
BR5010502	0-200mm
BR5010503	0-300mm

## DIGITAL CALIPER WATERPROOF IP67



BLUERANGE™

- Water resistant to IP67
- Large 10mm Imperial and metric LCD display
- Repeatability 0.01mm
- Resolution 0.01mm / 0.0005ins
- Manufactured to DIN 862

Part No.	Size
BR5010601	0-150mm
BR5010603	0-300mm

## DIGITAL CALIPER 600MM



BLUERANGE™

- Manufactured to DIN 862
- Imperial and metric display
- Fine adjustment
- Jaw length 125mm
- Zero any position and ABS
- Resolution 0.01mm/0.0005ins
- Repeatability 0.01mm

Part No.	Size
BR5010504	0-600mm

## DIGITAL CALIPER CARBON FIBRE



BLUERANGE™

- Resolution 0.1mm/0.00ins
- Zero any position
- Imperial and metric display

Part No.	Size
BR5050002	0-150mm

## VERNIER CALIPER AUTO CLAMP



BLUERANGE™

- Stainless steel satin chrome scales
- Auto clamping facility
- 4 way measurement
- Graduation 0.02mm/0.001ins
- Manufactured to DIN 862

Part No.	Size
BR4051501	0-150mm
BR4053001	0-300mm

**UKAS**  
Calibration  
available on  
all measuring  
equipment



## VERNIER HEIGHT GAUGE

- Stainless steel with satin chrome vernier scales
- Fine adjustment & locking screw
- Offset & straight scribe
- Solid base
- Scale magnifier
- Imperial & metric graduations
- Graduated 0.02mm/0.001ins




BLUERANGE

Part No.	Size
BR6218512	300mm
BR6218524	600mm

## ELECTRONIC HEIGHT GAUGE

- High repeatability
- Graduated 0.01mm/0.0005"
- Accuracy +/- 0.04mm up to 300mm, +/-0.05mm above
- Response speed 1.5m/s
- Hold, preset, data out put (RS232)
- Zero setting in any position
- Carbide tipped scribe for marking
- Clear LCD screen
- Fine adjustment facility
- SR44 battery



BLUERANGE

Part No.	Size
BR6218303	300mm
BR6218306	600mm

## ELECTRONIC HEIGHT GAUGE WITH SIDE WHEEL

- Large 14mm LCD display
- Side hand wheel allows ease of movement
- Fine adjustment
- Ergonomic base improves handhold
- Tungsten Carbide tipped scribe
- Inch metric switching
- Zero any position
- Preset Data Out put (RS232)
- Resolution 0.01mm/0.0005"
- Accuracy +/- 0.04mm up to 300mm, +/-0.05mm above



BLUERANGE

Part No.	Size
BR6217853	300mm
BR6217856	600mm

## EXTERNAL MICROMETER



BLUERANGE

- Graduated 0.01mm / 0.001ins
- Painted frame, hammer finish
- Manufactured to DIN 863
- Locking lever / Ratchet Thimble
- Non rotating barrel
- Tungsten carbide faces
- Supplied in plastic case with adjusting spanner
- Micrometers above 25mm supplied with setting rods

Part No.	Size
BR600C025	0-25mm
BR600C050	25-50mm
BR600C075	50-75mm
BR600C100	75-100mm
BR600C125	100-125mm
BR600C150	125-150mm
BR600C001	0-1 ins
BR600C002	1-2 ins
BR600C003	2-3 ins
BR600C004	3-4 ins
BR600C005	4-5 ins
BR600C006	5-6 ins

## EXTERNAL MICROMETER SET



BLUERANGE

Part No.	Size
BR600C303	0-75mm (set of 3)
BR600C304	0-100mm (set of 4)
BR600C306	0-150mm (set of 6)
BR600C312	0-300mm (set of 12)
BR600C403	0-3ins (set of 3)
BR600C404	0-6ins (set of 6)
BR600C412	0-12ins (set of 12)

## ELECTRONIC OUTSIDE MICROMETER IP65



- IP65 oil, water and dust resistance
- Accuracy +/- 0.002mm
- Patented unitary ratchet/friction thimble
- Large LCD display
- Carbide measuring faces
- Resolution 0.001mm/0.00005"
- Absolute / incremental conversion
- Origin set SPC data output
- Battery SR44

Part No.	Size
BR6008009	0-25mm
BR6008010	25-50mm

## ELECTRONIC OUTSIDE MICROMETER IP54



- IP54 dust and moisture resistance.
- On/off, auto off, origin data set
- Meric / Inch conversion
- RS232 output port
- Chrome plated frame
- Carbide measuring faces
- Accuracy DIN863/1
- Friction thimble
- Resolution 0.001mm/0.00005"

Part No.	Size
BR6008181	0-25mm/0-1ins
BR6008182	25-50mm/1-2ins
BR6008183	50-75mm/2-3ins
BR6008184	75-100mm/3-4ins
BR6001034	Set 0-75mm/0-3ins

## V ANVIL MICROMETER



- Accuracy DIN 863
- Graduated 0.01mm
- Painted frame
- Laser etched satin chrome barrel and sleeve
- 3 flute 60 deg V anvil

Part No.	Size
BR6009102	Range 5-20mm

## POINT MICROMETER



- Designed to measure small grooves, keyways and minor thread diameters
- Accuracy to DIN863
- Accuracy 0.004mm
- 30deg points, tip 0.3mm
- Satin Chrome Sleeve and barrel
- Painted frame
- Ratchet stop
- Resolution 0.01mm

Part No.	Size
BR6006631	0-25mm
BR6006632	25-50mm

## MULTI ANVIL MICROMETER



- Measuring tube thickness, shoulder edge distance, rivet head height etc.
- Chrome plated frame
- Ratchet stop
- Interchangeable anvils (flat and rod)
- Carbide anvil
- Resolution 0.01mm

Part No.	Size
BR6001525	0-25mm

## TUBE MICROMETER TYPE C



- For measuring wall and tube thickness
- Accuracy DIN863
- Accuracy 0.006mm
- Type C Spherical anvil
- 4.7mm Diameter
- Painted frame
- Resolution 0.01mm

Part No.	Size
BR6007622	0-25mm



## DEPTH MICROMETER



- DIN 863
- Accuracy 0.005mm
- Resolution 0.01mm
- Satin Chrome sleeve and barrel
- Interchangeable rods provide a wide measuring range
- Spherical ends
- Ratchet stop

BLUERANGE™

Part No.	Size
BR6023105	0-25mm Range base length 63mm Rods 1
BR6023116	0-150mm Range base length 100mm Rods 6

## ELECTRONIC DEPTH GAUGE



BLUERANGE™

- Digital depth gauge without hook
- DIN 862 Stainless Steel
- Satin chrome finish
- 0.01mm/0.0005" resolution
- Zero any position
- Strong rigid base 150mm long

Part No.	Size
BR1102301	0-300mm

## ELECTRONIC LEVEL / PRORACTOR



BLUERANGE™

- Large backlit easy read LED display
- Resolution 0.1deg
- Accuracy 0 & 90 deg less than <=0.1 deg
- 3V Lithium Battery
- 360 deg measuring range
- Audible signal every 10deg 0 to 90 deg
- Can be used as an angle finder, level or protractor

Part No.	Size
BR6388801	-

## DIAL BORE GAUGE SET



BLUERANGE™

- Two point measuring for hole sizes by comparison
- Also for checking for ovality & taper in bores
- Probes and extensions indicator graduated 0.01mm
- Spring loaded to ensure the measurements are taken over the diameter
- Supplied in a case including indicator

Part No.	Size
BR6125905	0.7-1.5ins Set
BR6125907	0.4-0.7ins Set
BR6125910	1.4-2.4ins Set
BR6125920	2-6ins Set
BR6127900	6mm-10mm Set
BR6127905	10mm-18mm Set
BR6127910	18mm-35mm Set
BR6127915	35mm-50mm Set
BR6127925	50mm-150mm Set

## STEEL GAUGE BLOCK SET



BLUERANGE™

- Manufactured from high grade Alloy steel and heat treated
- Mirror polished surfaces
- Each gauge with individual serial numbers
- Supplied in a wooden case
- Accuracy to BSS, DIN and JIS specifications
- Comes complete with a manufacturers certificate UKAS available on request
- Grade 2
- Set composition 1.005-1pce 1.01-1.20 20pces x0.01 1.3-19 7pces x 0.1, 1-9 9 pces x 1mm and 10-100 10pces x 10mm

Part No.	Size
BR6300472	M47 pce set



## MAGNETIC BASE - STANDARD

- Accepts all plunger indicators & lugbacks
- Dial test indicators with 9.52 & 3.96mm dia spigots
- On/off 60 kgf magnetic release mechanism prevents marking of surfaces
- Universal adjustment in horizontal & vertical plane
- Working stem 176 x 12mm dia.



BLUERANGE

Part No.	Size
BR6250301	Base size 63 x 50 x 55mm

## MAGNETIC BASE - UNIVERSAL

- Multi flexible joint for instant fixing in any position
- Fits dovetail and 3/8ins / 8mm stem indicators
- Fine adjustment
- Strong 80kgf magnetic base
- On-off switch



BLUERANGE

Part No.	Size
BR6251181	Base size 70 x 50 x 54mm

## MAGNETIC BASE - FLEXIBLE STEM

- Accepts most styles of dial indicators by dovetail groove or held by the stem
- Flexes almost 360°
- Cam lever operated cable & tension adjustment, locks into exact position
- Stem height 360mm
- Base dimension 70 x 50 x 54mm
- 60kgf



BLUERANGE

Part No.	Size
BR6251082	Base size 70 x 50 x 54mm

## MAGNETIC BASE - FINE ADJUSTMENT

- Accepts all plunger indicators & lug backs
- Dial test indicators with 9.52 & 3.96mm dia spigots
- On/off 60 kgf magnetic release mechanism prevents marking of surfaces
- Universal adjustment in horizontal & vertical plane
- Quick adjustment with fine adjustment facility
- Working stem 176 x 12mm dia.



BLUERANGE

Part No.	Size
BR6250341	Base size 63 x 50 x 55mm

## DIGITAL INDICATOR

- Super large LCD display for easy reading
- Large, easy to press buttons
- With data output
- Metric & imperial display
- 8mm shank
- Plain back
- Graduation 0.01mm/.0005ins



BLUERANGE

Part No.	Size
BR6052061	0-12.7mm/0.5ins

## DIAL TEST INDICATOR - VERTICAL

- Fully jewelled movement
- Adjustable bezel
- Satin chrome body
- 6mm & 8mm spigots
- Graduated 0.01mm
- Range 0.8mm



BLUERANGE

Part No.	Size
BR6054813	32mm Face
BR6059999	Spare Styli



**LLOYD & JONES**  
PROCUREMENT AND SUPPLY



## DIAL INDICATOR - LARGE FACE

- 60mm outer ring diameter
- Adjustable bezel & lock
- Hardened & ground rack
- Lugback
- Tolerance pointers
- Anvil thread 2.5mm
- 8mm stem
- Supplied in a fitted plastic case



Part No.	Size
BR6054153	10mm/0.01mm
BR6054161	25mm/0.01mm
BR6054170	50mm/0.01mm
BR6054051	1/2ins/0.001ins
BR6054078	1ins/0.001ins
BR6054205	2ins/0.001ins

## DIAL TEST INDICATOR

- Fully jewelled movement
- Satin chrome body
- 6mm & 8mm spigots
- Dovetails on 3 sides
- Adjustable bezel
- 250° lever position
- Graduated 0.01mm
- Range 0.8mm



BLUERANGE™

Part No.	Size
BR6054713	32mm Face
BR6054913	40mm Face

## DIAL INDICATOR - SMALL FACE

- 40mm outer ring diameter
- Adjustable bezel & lock
- Hardened & ground rack
- Lugback
- Tolerance pointers
- Anvil thread 2.5mm
- 8mm stem
- Supplied in a fitted plastic case



BLUERANGE™

Part No.	Size
BR6054130	5mm/0.01mm
BR6054031	1/4ins/0.001ins

## MAGNETIC BASE & INDICATOR KIT



BLUERANGE™

### Dial Test Indicator

- Fully jewelled movement
- Satin chrome body
- 6mm & 8mm spigots
- Dovetails on 3 sides
- Adjustable bezel
- 250° lever position
- Graduated 0.01mm
- Range 0.8mm
- 32mm Face

### Magnetic Base - Fine Adjustment

- Accepts all plunger indicators & lug backs
- Dial test indicators with 9.52 & 3.96mm dia spigots
- On/off 60 kgf magnetic force release mechanism prevents marking of surfaces
- Universal adjustment in horizontal & vertical plane
- Quick adjustment and fine adjustment facility
- Working stem 176 x 12mm dia.
- Base size 63 x 50 x 55mm

Part No.	Size
BR6054713BUN	-

## HAND HELD REFRACTOMETER

- Accurately measures industrial liquid concentrations
- Easy to read scale helps maintain & control optimum performance mixture
- Range 0-18%
- Resolution 0.10%
- Accuracy +/-0.1%



BLUERANGE™

Part No.	Size
BR8544018	-

## CENTRE FINDER SET


- Accurate and versatile
- For locating working points on many types of machines
- Set consists of 5 pieces - chuck body, 6mm/.236" off set indicator holder, 6.35mm / .250" ball contact, 2.5mm / .1" disc contact and a needle point attachment



BLUERANGE™

Part No.	Size
BR8053305	-

## 4 PIECE COMBINATION SET



BLUERANGE™

- Used to set an angle or angle measurement
- Protractor, Centre Head, Square Head & Rule
- Stainless steel hardened measuring heads 45° & 90°
- 300mm/12ins graduated rule - imperial & metric
- Hardened & ground slide ways
- Can rotate 360° (2 x 180°)
- All non ground parts have painted hammer finish
- Integral spirit level & scribe
- Supplied in a blow moulded plastic case

Part No.	Size
BR6388754	-

## UNIVERSAL BEVEL PROTRACTOR SET



BLUERANGE™

- For reading precise angles on workpiece
- Hardened and ground stainless steel
- Satin chromed scale
- Graduated 5 min (0 deg - 90 deg - 0 deg)
- Supplied 150, 200 and 300mm blades in a plastic box

Part No.	Size
BR6356509	-

## CO AX CENTRING INDICATOR




BLUERANGE™

- A simple, fast, accurate method of centering a workpiece to machine spindle
- Indicator remains stationary in any position as spindle rotates
- Can be used horizontally or vertically at any angle
- Dial diameter 40mm graduated 0.01mm 0-25-0
- Kit contains 3 x curved probes (45, 100 and 154mm), 3 x straight probes (45, 100 and 154mm) and 1 x center point locator (52.5mm)

Part No.	Size
BR6074905	-

## DIGITAL ANGLE RULE

- Measuring range 300mm/360 deg
- Resolution 0.05 Deg
- 3 function keys
- Zero any position
- Large LCD screen
- Reversible reading can be read from either side
- Auto power off
- 3V lithium Battery



BLUERANGE™

Part No.	Size
BR6388011	-



**LLOYD & JONES**  
PROCUREMENT AND SUPPLY



## ELECTRONIC EDGE FINDER

- Stainless steel
- 190mm length
- Repeatability 0.005mm
- Supplied with 2 1.5V cell batteries
- For setting tool holder & workplace positions on both conventional & CNC machine tools
- When making contact the probe emits both an audible beep & alert via an LED light



Part No.	Size
BR8053017	10mm Tip X 20mm Shank

## EDGE FINDER



- Assists in locating a starting point before all aspects of machining
- Hardened & ground on all working surfaces
- Precision ground tool steel

Part No.	Size
BR8053163	10mm Tip X 10mm Shank
BR8053165	12.7mm Tip x 12.7mm Shank

## EDGE & CENTRE FINDER COMBINATION



- Assists in locating a starting point before all aspects of machining
- Hardened & ground on all working surfaces
- Precision ground tool steel

Part No.	Size
BR8053141	5mm Tip X 9.5mm Shank
BR8053143	5mm Tip x 12.7mm Shank

## 10 PAIR THIN PARALLEL SET

- High grade steel, hardened & ground
- Sizes: 1/2ins to 1 5/8ins in 1/8ins
- 10 pair set
- Length 6", width 1/8ins
- Accuracy 0.0002ins
- Height +/- 0.0001ins
- Matching 0.0003ins
- Supplied in a plastic case



Part No.	Size
BR6377530	-

## ROTARY EDGE FINDER



- Assists in locating a starting point before all aspects of machining
- Hardened & ground on all working surfaces
- Precision ground tool steel

Part No.	Size
BR8053121	5mm Tip X 9.5mm Shank
BR8053123	5mm Tip x 12.7mm Shank
BR8053125	10mm Tip X 10mm Shank
BR8053129	12.7mm Tip x 12.7mm Shank

## TOOLMAKERS BLOCKS

- Precision hardened & ground tool steel ground on all sides
- Each block measures 1ins, 2ins & 3ins
- 23 holes, 5 are tapped
- Squareness 0.0002ins
- Supplied in pairs matching
- accuracy +/- 0.0002ins
- Parallelism +/- 0.0001ins
- Supplied in a fitted plastic case with 3/8 x 16 socket cap head screws (x5) & hexagon key



Part No.	Size
BR6304000	1,2,3, Blocks
BR6304020	2,4,6 Blocks

## SPRING CALIPERS - INTERNAL

- Internal caliper with quick release set screw
- Special steel
- Quick release set screw and spring are burnished

BLUERANGE®



Part No.	Size
PREI0312101	100mm
PREI0312103	150mm
PREI0312105	200mm
PREI0312107	250mm
PREI0312108	300mm

## SPRING CALIPERS - EXTERNAL

- External caliper with quick release set screw
- Special steel
- Quick release set screw and spring are burnished

BLUERANGE®



Part No.	Size
PREI0313101	100mm
PREI0313103	150mm
PREI0313105	200mm
PREI0313107	250mm
PREI0313108	300mm

## PRECISION CALIPERS - INTERNAL

- With a rivetted hinge
- Special steel
- Hardened measuring points

BLUERANGE®



Part No.	Size
PREI0303001	150mm
PREI0303002	175mm
PREI0303003	200mm
PREI0303004	250mm
PREI0303005	300mm
PREI0303006	400mm
PREI0303007	500mm
PREI0303008	600mm
PREI0303009	800mm
PREI0303010	1000mm
PREI0303012	1200mm
PREI0303015	1500mm
PREI0303020	2000mm

## PRECISION CALIPERS - EXTERNAL

- With a rivetted hinge
- Special steel
- Hardened measuring points

BLUERANGE®



Part No.	Size
PREI0304001	150mm
PREI0304002	175mm
PREI0304003	200mm
PREI0304004	250mm
PREI0304005	300mm
PREI0304006	400mm
PREI0304007	500mm
PREI0304008	600mm
PREI0304009	800mm
PREI0304010	1000mm
PREI0304012	1200mm
PREI0304015	1500mm
PREI0304020	2000mm



**LLOYD & JONES**  
PROCUREMENT AND SUPPLY



## SPRING DIVIDERS

- Quick release set screw
- Special steel
- Fixed points
- Hardened points
- Quick release set screw and spring are burnished

BLUERANGE™



Part No.	Size
PREI0310101	100mm
PREI0310102	125mm
PREI0310103	150mm
PREI0310105	200mm
PREI0310107	250mm
PREI0310108	300mm

## PRECISION DIVIDERS

- With a rivetted hinge
- Hardened needle, shaped ground points
- Special steel

BLUERANGE™



Part No.	Size
PREI0301001	150mm
PREI0301002	175mm
PREI0301003	200mm
PREI0301004	250mm
PREI0301005	300mm
PREI0301006	400mm
PREI0301007	500mm
PREI0301008	600mm
PREI0301009	800mm
PREI0301010	1000mm

## BEAM TRAMMEL



BLUERANGE™

- With interchangeable steel points
- Stainless steel
- Locking screw
- Fine adjustment
- Factory standard

Part No.	Size
PREI0316201	500mm
PREI0316202	1000mm

## BEAM TRAMMEL WITH ROLLER



BLUERANGE™

- Flat beam
- Special steel
- Locking screw
- Fine adjustment
- Factory Standard

Part No.	Size
PREI0316151	500mm
PREI0316152	1000mm
PREI0316153	1500mm
PREI0316154	2000mm

## MARKING GAUGE

- Stainless steel
- Locking screw
- For marking by scale as well as for marking of 45° or 90° mitres
- 40mm rail cross-section
- 1mm reading



BLUERANGE™

Part No.	Size
PREI0323308	100mm
PREI0323318	200mm

## TELESCOPIC INSPECTION MIRROR

- Fully chromed telescopic shaft & articulated mirror mount
- Mirror can be set in any position for best viewing
- Mirror diameter 50mm
- Fully extended length 780mm
- Fully folded length 200mm
- Plastic grip 14mm diameter x 120mm long handle



BLUERANGE™

Part No.	Size
BR8100218	-

## TELESCOPIC MAGNETIC PICK UP WITH LED LIGHT

- Telescopic magnetic pick-up with extension range of 190mm-810mm
- Magnet is capable of lifting up to 1.5kg/3.3lbs
- Bright LED light through magnet centre giving 360deg illumination
- Non-slip moulded handle for oily or wet hands



BLUERANGE™

Part No.	Size
BR8100221	-

## ILLUMINATED HEAD BAND MAGNIFIER

- Multi-coated acrylic lenses offer a choice of 4 magnification powers via a combination of fixed, flip-up & monocular lenses: 1.5, 3.0, 9.0 & 10.5
- Bright dual LED illumination with tilt & swivel adjustment
- Visor can be lifted & lowered as required
- Magnifier can be used when wearing glasses
- Most useful for assembly & inspection work, also suitable for hobbies, crafts & general reading



BLUERANGE™

Part No.	Size
BR8543104	-

## HAND MAGNIFYING GLASS

- Ground glass lens
- 60mm or 75mm lens diameter
- 100mm focal length
- Magnification x2.5



BLUERANGE™

Part No.	Size
BR8541092	60mm Lens
BR8541094	75mm lens

## TELESCOPIC INSPECTION MIRROR & PICK UP KIT

- Fully chromed telescopic shaft & articulated mirror/magnet mount
- Fully extended length 500mm
- Fully folded length 170mm
- Chrome plated 8.5mm diameter handle
- Mirror can be set in any position for best viewing
- Mirror diameter 50mm



BLUERANGE™

Part No.	Size
BR8100219	-

## FOLDING LENS MAGNIFIER X10

- Provides high quality distortion free magnification
- x10 magnification
- 21mm diameter lens
- Bonded 3 lens "Hastings Triplet" construction
- Lenses are recessed to protect from damage
- Swing away lenses are housed in polished chrome plated body
- Supplied with a leather case for added protection



BLUERANGE™

Part No.	Size
BR8545310	-




**LLOYD & JONES**  
PROCUREMENT AND SUPPLY



- High rigidity and non-magnetic properties
- Totally corrosion and stress free
- Most reliable product for inspection purposes
- All cast iron tables manufactured from grade 17, close grained, non-porous, inclusion free Cast Iron

## CAST IRON SURFACE PLATE (GRADE 1)

- Manufactured to BS817 (2008)
- Complete with handles and cover
- Manufactured from grade 17 inclusion free Cast Iron
- Comes with certificate of calibration
- Custom sizes can be ordered.



Part No.	Size
BR4018001	450mm x 300mm

## GRANITE SURFACE PLATE (GRADE1) WITH STAND


- Manufactured to BS817 (2008)
- Complete with adjustable solid stand
- Comes with certificate of calibration
- Custom sizes can be ordered.



Part No.	Size
BR4017006	900mm x 600mm x 100mm Thick
BR4017007	1200mm x 900mm x 150mm Thick
BR4017011	1000mm x 1000mm x 150mm Thick

## CAST IRON BOX ANGLE PLATE (GRADE A)


- Manufactured to BS5535
- Plain & T slots allow various clamping facilities
- Comes with certificate of calibration
- Custom sizes can be ordered.



Part No.	Size
BR4219001	175mm x 125mm x 100mm Thick
BR4219002	250mm x 175mm x 150mm Thick
BR4219003	300mm x 250mm x 200mm Thick

## GRANITE SURFACE PLATE (GRADE1)


- Manufactured to BS817 (2008)
- Plates 100mm thick
- Comes with certificate of calibration
- Custom sizes can be ordered.



Part No.	Size
BR4017001SP	300mm x 300mm
BR4017002SP	450mm x 300mm
BR4017003SP	450mm x 450mm
BR4017004SP	600mm x 450mm
BR4017005SP	600mm x 600mm

## CAST IRON ANGLE PLATE (GRADE A)

- Manufactured to BS5535
- Inside web and all outside faces machines
- Comes with certificate of calibration
- Custom sizes can be ordered.



Part No.	Size
BR4118001	175mm x 125mm x 100mm Thick
BR4118011	250mm x 175mm x 150mm Thick
BR4118021	300mm x 250mm x 200mm Thick

# INDEX

Part No.	Page	Part No.	Page	Part No.	Page	Part No.	Page
BR1102301	6	BR600C025	4	BR6250301	7	PREI0303006	11
BR4017001SP	14	BR600C050	4	BR6250341	7	PREI0303007	11
BR4017002SP	14	BR600C075	4	BR6251082	7	PREI0303008	11
BR4017003SP	14	BR600C100	4	BR6251181	7	PREI0303009	11
BR4017004SP	14	BR600C125	4	BR6300472	6	PREI0303010	11
BR4017005SP	14	BR600C150	4	BR6304000	10	PREI0303012	11
BR4017006	14	BR600C303	4	BR6304020	10	PREI0303015	11
BR4017007	14	BR600C304	4	BR6356509	9	PREI0303020	11
BR4017011	14	BR600C306	4	BR6377530	10	PREI0304001	11
BR4018001	14	BR600C312	4	BR6388011	9	PREI0304002	11
BR4051501	3	BR600C403	4	BR6388754	9	PREI0304003	11
BR4053001	3	BR600C404	4	BR6388801	6	PREI0304004	11
BR4118001	14	BR600C412	4	BR8053017	10	PREI0304005	11
BR4118011	14	BR6023105	6	BR8053121	10	PREI0304006	11
BR4118021	14	BR6023116	6	BR8053123	10	PREI0304007	11
BR4219001	14	BR6052061	7	BR8053125	10	PREI0304008	11
BR4219002	14	BR6054031	8	BR8053129	10	PREI0304009	11
BR4219003	14	BR6054051	8	BR8053141	10	PREI0304010	11
BR5010001	3	BR6054078	8	BR8053143	10	PREI0304012	11
BR5010002	3	BR6054130	8	BR8053163	10	PREI0304015	11
BR5010003	3	BR6054153	8	BR8053165	10	PREI0304020	11
BR5010501	3	BR6054161	8	BR8053305	9	PREI0310101	12
BR5010502	3	BR6054170	8	BR8100218	13	PREI0310102	12
BR5010503	3	BR6054205	8	BR8100219	13	PREI0310103	12
BR5010504	3	BR6054713	8	BR8100221	13	PREI0310105	12
BR5010601	3	BR6054713BUN	8	BR8541092	13	PREI0310107	12
BR5010603	3	BR6054813	7	BR8541094	13	PREI0310108	12
BR5050002	3	BR6054913	8	BR8543104	13	PREI0312101	11
BR6001034	5	BR6059999	7	BR8544018	8	PREI0312103	11
BR6001525	5	BR6074905	9	BR8545310	13	PREI0312105	11
BR6006631	5	BR6125905	6	PREI0301001	12	PREI0312107	11
BR6006632	5	BR6125907	6	PREI0301002	12	PREI0312108	11
BR6007622	5	BR6125910	6	PREI0301003	12	PREI0313101	11
BR6008009	5	BR6125920	6	PREI0301004	12	PREI0313103	11
BR6008010	5	BR6127900	6	PREI0301005	12	PREI0313105	11
BR6008181	5	BR6127905	6	PREI0301006	12	PREI0313107	11
BR6008182	5	BR6127910	6	PREI0301007	12	PREI0313108	11
BR6008183	5	BR6127915	6	PREI0301008	12	PREI0316151	12
BR6008184	5	BR6127925	6	PREI0301009	12	PREI0316152	12
BR6009102	5	BR6217853	4	PREI0301010	12	PREI0316153	12
BR600C001	4	BR6217856	4	PREI0303001	11	PREI0316154	12
BR600C002	4	BR6218303	4	PREI0303002	11	PREI0316201	12
BR600C003	4	BR6218306	4	PREI0303003	11	PREI0316202	12
BR600C004	4	BR6218512	4	PREI0303004	11	PREI0323308	12
BR600C005	4	BR6218524	4	PREI0303005	11	PREI0323318	12
BR600C006	4						



**LLOYD & JONES**  
PROCUREMENT AND SUPPLY





**LLOYD & JONES**  
PROCUREMENT AND SUPPLY

**Find your local branch and  
access our online store at**

**[www.lloyd-jones.com](http://www.lloyd-jones.com)**

