

BIODEGRADABLE, CHEMICAL RESISTANT, SINGLE USE GLOVE

100% biodegradable, single use glove engineered with Eco Best Technology®

FEATURES

- A 100% nitrile disposable glove with textured fingertips
- A Engineered with Eco Best Technology®, making the glove biodegradable in biologically active landfills within 1-5 years
- A Non-sterile, silicone and latex free
- A Protects from a wide array of chemical hazards while avoiding type and type IV latex allergies
- A Low-modulus formulation to improve fit and reduce fatigue
- A Ambidextrous aiding the ability to easily put on and remove
- A AQL 1.0
- A Length: 240mm
- A Thickness: 0.10mm



ECO BEST TECHNOLOGY


SHOWA'S Eco Best Technology (EBT) is composed of organic material that accelerates the biodegradation of nitrile in biologically active landfills without any sacrifice in performance

SUITABLE FOR

Typical Industries Suitable Application

- | | |
|--|---|
| <ul style="list-style-type: none"> ③Automotive ③Chemical ③Electronics ③Food ③Healthcare ③Laboratory ③Warehousing & Distribution | <ul style="list-style-type: none"> ③Chemical Handling ③Food Handling ③Handling Oily Components ③Laboratory Analysis ③Light Assembly ③Paint Spraying |
|--|---|

CERTIFICATION



See overleaf for explanation

SUITABLE FOR

MATERIALS	LINER:	Nitrile
	COATING:	N/A
COLOUR	Blue	
LENGTH (mm)	240	
CUFF STYLE	Beaded	

RECOMMENDATIONS FOR USE

- ③ Gloves provide protection from chemical and mechanical hazards shown.
- ③ Do not use gloves that show signs of wear.
- ③ If required, cleanse outer surface of glove with running water.
- ③ Discard used gloves in compliance with local regulations.
- ③ Do not wear gloves when there is a risk of entanglement by moving parts of machines.

ORDERING DETAILS

SIZE	CODE	PACKAGING
8/M	SHO75002	100 singles per box
9/L	SHO75003	10 boxes per case
10/XL	SHO75004	
Others sizes are available to order		

CERTIFICATION LEGENDS



RESISTANCE TO CHEMICAL PERMEATION - EN ISO 374:2016

CODE	CHEMICAL	CODE	CHEMICAL	TYPE OF GLOVES	BREAKTHROUGH TIME
A	Methanol	J	n-Heptane	A	≥30 min for at least 6 chemicals
B	Acetone	K	Sodium hydroxide 40%		
C	Acetonitrile	L	Sulphuric acid 96%	B	≥30 min for at least 3 chemicals
D	Dichloromethane	M	65% Nitric acid		
E	Carbon Disulfide	N	99% Acetic acid	C	≥10 min for at least 1 chemical
F	Toluene	O	25% Ammonium hydroxide		
G	Diethylamine	P	30% Hydrogen peroxide		
H	Tetrahydrofuran	S	40% Hydrofluoric acid		
I	Ethyl acetate	T	37% Formaldehyde		



PROTECTION AGAINST MICRO-ORGANISMS EN 374-5

VIRUS = Glove has passed ISO 16604: 2004 (method B)



LLOYD & JONES
PROCUREMENT AND SUPPLY



www.lloyd-jones.com
sales@lloyd-jones.com

FULLY DEGRADES

1-5 YEARS



**BIODEGRADATION RATES
WHEN DISPOSED IN LANDFILL**



Swap single-use gloves with a high quality biodegradable alternative to reduce your environmental impact and protect our planet for generations to come.

- » Chemical resistant
- » Latex free
- » Biodegrades within 5 years
- » Touchscreen capabilities
- » Ambidextrous
- » Food safe
- » Waterproof

ORDERING DETAILS

CODE	SIZE	PACKAGING
SHO75000	XS	100 singles per box (90 singles on XXL)
SHO75001	S	
SHO75002	M	
SHO75003	L	
SHO75004	XL	
SHO75005	XXL	10 boxes per case

Contact us to get an obligation-free assessment from one of our hand protection experts

E: sales@lloyd-jones.com T: 0151 955 4700 W: lloyd-jones.com



LLOYD & JONES
PROCUREMENT AND SUPPLY